Table of Contents

Preface	xxi
1. Introduction	xxi
2. Intended Audience and Organization	xxi
3. Conventions	xxii
4. Other Resources	xxiii
5. Request for Comments	xxiv
6. Acknowledgements	xxiv
6.1. Technology Used to Create This Book	xxv
7. TCP/IP Reference	xxvi
1. Getting Started with Nmap	1
1.1. Introduction	1
1.2. Nmap Overview and Demonstration	1
1.2.1. Avatar Online	1
1.2.2. Saving the Human Race	8
1.2.3. MadHat in Wonderland	
1.3. The Phases of an Nmap Scan	12
1.4. Legal Issues	13
1.4.1. Is Unauthorized Port Scanning a Crime?	
1.4.2. Can Port Scanning Crash the Target Computer/Networks?	
1.4.3. Nmap Copyright	
1.5. The History and Future of Nmap	
2. Obtaining, Compiling, Installing, and Removing Nmap	
2.1. Introduction	
2.1.1. Testing Whether Nmap is Already Installed	25
2.1.2. Command-line and Graphical Interfaces	
2.1.3. Downloading Nmap	
2.1.4. Verifying the Integrity of Nmap Downloads	
2.1.5. Obtaining Nmap from the Subversion (SVN) Repository	
2.2. Unix Compilation and Installation from Source Code	
2.2.1. Configure Directives	
2.2.2. If You Encounter Compilation Problems	32
2.3. Linux Distributions	33
2.3.1. RPM-based Distributions (Red Hat, Mandrake, SUSE, Fedora)	33
2.3.2. Updating Red Hat, Fedora, Mandrake, and Yellow Dog Linux with Yum	34
2.3.3. Debian Linux and Derivatives such as Ubuntu	
2.3.4. Other Linux Distributions	35
2.4. Windows	36
2.4.1. Windows 2000 Dependencies	37
2.4.2. Windows Self-installer	
2.4.3. Command-line Zip Binaries	37
Installing the Nmap zip binaries	37
2.4.4. Compile from Source Code	
2.4.5. Executing Nmap on Windows	
2.5. Sun Solaris	
2.6. Apple Mac OS X	41
2.6.1. Evacutable Installer	41



2.6.2. Compile from Source Code	
Compile Nmap from source code	
Compile Zenmap from source code	
2.6.3. Third-party Packages	. 42
2.6.4. Executing Nmap on Mac OS X	. 42
2.7. FreeBSD / OpenBSD / NetBSD	. 43
2.7.1. OpenBSD Binary Packages and Source Ports Instructions	. 43
2.7.2. FreeBSD Binary Package and Source Ports Instructions	. 44
Installation of the binary package	. 44
Installation using the source ports tree	. 44
2.7.3. NetBSD Binary Package Instructions	. 44
2.8. Amiga, HP-UX, IRIX, and Other Platforms	. 44
2.9. Removing Nmap	
3. Host Discovery (Ping Scanning)	
3.1. Introduction	
3.2. Specifying Target Hosts and Networks	
3.2.1. Input From List (-iL)	
3.2.2. Choose Targets at Random (-iR <numtargets>)</numtargets>	
3.2.3. Excluding Targets (exclude,excludefile <filename>)</filename>	
3.2.4. Practical Examples	
3.3. Finding an Organization's IP Addresses	
3.3.1. DNS Tricks	
3.3.2. Whois Queries Against IP Registries	
3.3.3. Internet Routing Information	
3.4. DNS Resolution	
3.5. Host Discovery Controls	
3.5.1. List Scan (-sL)	
3.5.2. Ping Scan (-sP)	
3.5.3. Disable Ping (-PN)	
3.6. Host Discovery Techniques	
3.6.1. TCP SYN Ping (-PS <port list="">)</port>	
3.6.2. TCP ACK Ping (-PA <port list="">)</port>	
3.6.3. UDP Ping (-PU <port list="">)</port>	
3.6.4. ICMP Ping Types (-PE, -PP, and -PM)	
3.6.5. IP Protocol Ping (-PO <pre>protocol list>)</pre>	
3.6.6. ARP Scan (-PR)	
3.6.7. Default Combination	
3.7. Putting It All Together: Host Discovery Strategies	
3.7.1 Related Options	
3.7.2. Choosing and Combining Ping Options	
TCP probe and port selection	
UDP port selection	
ICMP probe selection	
Designing the ideal combinations of probes	
3.8. Host Discovery Code Algorithms	
4. Port Scanning Overview	
4.1. Introduction to Port Scanning	
4.1.1. What Exactly is a Port?	
4.1.2. What Are the Most Popular Ports?	. 13



4.1.3. What is Port Scanning?	
4.1.4. Why Scan Ports?	
4.2. A Quick Port Scanning Tutorial	
4.3. Command-line Flags	
4.3.1. Selecting Scan Techniques	
4.3.2. Selecting Ports to Scan	
4.3.3. Timing-related Options	
4.3.4. Output Format and Verbosity Options	
4.3.5. Firewall and IDS Evasion Options	
4.3.6. Specifying Targets	
4.3.7. Miscellaneous Options	
4.4. IPv6 Scanning (-6)	
4.5. SOLUTION: Scan a Large Network for a Certain Open TCP Port	
4.5.1. Problem	
4.5.2. Solution	. 8 9
4.5.3. Discussion	. 89
4.5.4. See Also	. 94
5. Port Scanning Techniques and Algorithms	. 95
5.1. Introduction	. 95
5.2. TCP SYN (Stealth) Scan (-sS)	
5.3. TCP Connect Scan (-sT)	
5.4. UDP Scan (-sU)	101
5.4.1. Disambiguating Open from Filtered UDP Ports	
5.4.2. Speeding Up UDP Scans	
5.5. TCP FIN, NULL, and Xmas Scans (-sF, -sN, -sX)	
5.6. Custom Scan Types withscanflags	
5.6.1. Custom SYN/FIN Scan	
5.6.2. PSH Scan	
5.7. TCP ACK Scan (-sA)	
5.8. TCP Window Scan (-sW)	
5.9. TCP Maimon Scan (-sM)	
5.10. TCP Idle Scan (-sI)	
5.10.1. Idle Scan Step by Step	
5.10.2. Finding a Working Idle Scan Zombie Host	
5.10.3. Executing an Idle Scan	
5.10.4. Idle Scan Implementation Algorithms	
5.11. IP Protocol Scan (-sO)	
5.12. TCP FTP Bounce Scan (-b)	
5.13. Scan Code and Algorithms	
5.13.1. Network Condition Monitoring	
5.13.2. Host and Port Parallelization	
5.13.3. Round Trip Time Estimation	
5.13.4. Congestion Control	
5.13.5. Timing probes	
5.13.6. Inferred Neighbor Times	
5.13.7. Adaptive Retransmission	
5.13.8. Scan Delay	
6. Optimizing Nmap Performance	
6.1. Introduction	
	. 55



6.2. Scan Time Reduction Techniques	135
6.2.1. Omit Non-critical Tests	136
6.2.2. Optimize Timing Parameters	137
6.2.3. Separate and Optimize UDP Scans	
6.2.4. Upgrade Nmap	
6.2.5. Execute Concurrent Nmap Instances	
6.2.6. Scan From a Favorable Network Location	
6.2.7. Increase Available Bandwidth and CPU Time	
6.3. Coping Strategies for Long Scans	
6.3.1. Use a Multi-stage Approach	
6.3.2. Estimate and Plan for Scan Time	
6.4. Port Selection Data and Strategies	
6.5. Low-Level Timing Controls	
6.6. Timing Templates (-T)	
6.7. Scanning 676,352 IP Addresses in 46 Hours	
Service and Application Version Detection	
7.1. Introduction	
7.2. Usage and Examples	
7.3. Technique Described	
7.3.1. Cheats and Fallbacks	
7.3.2. Probe Selection and Rarity	
7.4. Technique Demonstrated	
7.5. Post-processors	
7.5.1. Nmap Scripting Engine Integration	
7.5.2. RPC Grinding	
7.5.3. SSL Post-processor Notes	
7.6. nmap-service-probes File Format	
7.6.1. Exclude Directive	
7.6.2. Probe Directive	
7.6.3. match Directive	
7.6.4. softmatch Directive	
7.6.5. ports and sslports Directives	
7.6.6. totalwaitms Directive	
7.6.7. rarity Directive	
7.6.8. fallback Directive	
7.6.9. Putting It All Together	
7.7. Community Contributions	
5 ·	
7.7.2. Submit Database Corrections	
7.7.3. Submit New Probes	
7.8. SOLUTION: Find All Servers Running an Insecure or Nonstandard Applicatio	
Version	
7.8.1. Problem	
7.8.2. Solution	
7.8.3. Discussion	
7.9. SOLUTION: Hack Version Detection to Suit Custom Needs, such as Open Pro	•
Detection	
7.9.1. Problem	
7.9.2. Solution	169



7.

7.9.3. Discussion	. 169
Remote OS Detection	. 171
8.1. Introduction	. 171
8.1.1. Reasons for OS Detection	. 171
Determining vulnerability of target hosts	. 171
Tailoring exploits	. 171
Network inventory and support	. 172
Detecting unauthorized and dangerous devices	. 172
Social engineering	172
8.2. Usage and Examples	. 172
8.3. TCP/IP Fingerprinting Methods Supported by Nmap	. 176
8.3.1. Probes Sent	. 177
Sequence generation (SEQ, OPS, WIN, and T1)	
ICMP echo (IE)	. 178
TCP explicit congestion notification (ECN)	
TCP (T2-T7)	. 179
UDP (U1)	. 179
8.3.2. Response Tests	. 180
TCP ISN greatest common divisor (GCD)	. 180
TCP ISN counter rate (ISR)	. 180
TCP ISN sequence predictability index (SP)	. 180
TCP IP ID sequence generation algorithm (TI)	
ICMP IP ID sequence generation algorithm (II)	
Shared IP ID sequence Boolean (SS)	
TCP timestamp option algorithm (TS)	
TCP options (O, 01–06)	183
TCP initial window size (W, W1-W6)	
Responsiveness (R)	. 184
IP don't fragment bit (DF)	. 184
Don't fragment (ICMP) (DFI)	
IP initial time-to-live (T)	
IP initial time-to-live guess (TG)	
Explicit congestion notification (CC)	
TCP miscellaneous quirks (Q)	
TCP sequence number (S)	
ICMP sequence number(SI)	
TCP acknowledgment number (A)	
TCP flags (F)	
TCP RST data checksum (RD)	
IP type of service (TOS)	
IP type of service for ICMP responses (TOSI)	
IP total length (IPL)	
Unused port unreachable field nonzero (UN)	
Returned probe IP total length value (RIPL)	
Returned probe IP ID value (RID)	
Integrity of returned probe IP checksum value (RIPCK)	
Integrity of returned probe UDP length and checksum (RUL and RUCK)	
Integrity of returned UDP data (RUD)	
ICMP response code (CD)	. 189



8.

IP data length for ICMP responses (DLI)	189
8.4. Fingerprinting Methods Avoided by Nmap	189
8.4.1. Passive Fingerprinting	189
8.4.2. Exploit Chronology	190
8.4.3. Retransmission Times	190
8.4.4. IP Fragmentation	191
8.4.5. Open Port Patterns	191
8.5. Understanding an Nmap Fingerprint	191
8.5.1. Decoding the Subject Fingerprint Format	192
Decoding the SCAN line of a subject fingerprint	193
8.5.2. Decoding the Reference Fingerprint Format	
Free-form OS description (Fingerprint line)	
Device and OS classification (Class lines)	
Test expressions	
8.6. OS Matching Algorithms	
8.7. Dealing with Misidentified and Unidentified Hosts	
8.7.1. When Nmap Guesses Wrong	
8.7.2. When Nmap Fails to Find a Match and Prints a Fingerprint	
8.7.3. Modifying the nmap-os-db Database Yourself	
8.8. SOLUTION: Detect Rogue Wireless Access Points on an Enterprise Network	
8.8.1. Problem	
8.8.2. Solution	
8.8.3. WAP Characteristics	
9. Nmap Scripting Engine	
9.1. Introduction	
9.2. Usage and Examples	
9.2.1. Script Categories	
9.2.2. Command-line Arguments	
9.2.3. Arguments to Scripts	
9.2.4. Usage Examples	
9.3. Script Format	
9.3.1. description Field	
9.3.2. categories Field	
9.3.3. author Field	
9.3.4. license Field	
9.3.5. runlevel Field	
9.3.6. Port and Host Rules	
9.3.7. Action	
9.4. Script Language	
9.4.1. Lua Base Language	
9.5. NSE Scripts	
9.6. NSE Libraries	
9.6.1. List of All Libraries	
9.6.2. Adding C Modules to Nselib	
9.7. Nmap API	
9.7.1. Information Passed to a Script	
9.7.2. Network I/O API	
Connect-style network I/O	
	241
Raw packet network I/O	



9.7.3. Thread Mutexes	243
9.7.4. Exception Handling	
9.7.5. The Registry	245
9.8. Script Writing Tutorial	
9.8.1. The Head	245
9.8.2. The Rule	246
9.8.3. The Mechanism	247
9.9. Writing Script Documentation (NSEDoc)	248
9.9.1. NSE Documentation Tags	250
9.10. Version Detection Using NSE	251
9.11. Example Script: finger.nse	253
9.12. Implementation Details	254
9.12.1. Initialization Phase	254
9.12.2. Matching Scripts with Targets	255
9.12.3. Script Execution	255
10. Detecting and Subverting Firewalls and Intrusion Detection Systems	
10.1. Introduction	
10.2. Why Would Ethical Professionals (White-hats) Ever Do This?	
10.3. Determining Firewall Rules	
10.3.1. Standard SYN Scan	
Sneaky firewalls that return RST	
10.3.2. ACK Scan	
10.3.3. IP ID Tricks	
10.3.4. UDP Version Scanning	
10.4. Bypassing Firewall Rules	
10.4.1. Exotic Scan Flags	
10.4.2. Source Port Manipulation	
10.4.3. IPv6 Attacks	
10.4.4. IP ID Idle Scanning	
10.4.5. Multiple Ping Probes	
10.4.6. Fragmentation	
10.4.7. Proxies	
10.4.8. MAC Address Spoofing	
10.4.9. Source Routing	
10.4.10. FTP Bounce Scan	
10.4.11. Take an Alternative Path	
10.4.12. A Practical Real-life Example of Firewall Subversion	
10.5. Subverting Intrusion Detection Systems	
10.5.1. Intrusion Detection System Detection	
Reverse probes	
Sudden firewall changes and suspicious packets	
Naming conventions	
Unexplained TTL jumps	
10.5.2. Avoiding Intrusion Detection Systems	
Slow down	
Scatter probes across networks rather than scanning hosts consecutively	
Fragment packets	
Evade specific rules	
Avoid easily detected Nmap features	
Avoid cashy detected Milap leatures	284



10.5.3. Misleading Intrusion Detection Systems	
Decoys	284
Port scan spoofing	286
Idle scan	286
DNS proxying	286
10.5.4. DoS Attacks Against Reactive Systems	287
10.5.5. Exploiting Intrusion Detection Systems	288
10.5.6. Ignoring Intrusion Detection Systems	288
10.6. Detecting Packet Forgery by Firewall and Intrusion Detection Systems	289
10.6.1. Look for TTL Consistency	289
10.6.2. Look for IP ID and Sequence Number Consistency	290
10.6.3. The Bogus TCP Checksum Trick	291
10.6.4. Round Trip Times	
10.6.5. Close Analysis of Packet Headers and Contents	293
10.6.6. Unusual Network Uniformity	
11. Defenses Against Nmap	
11.1. Introduction	
11.2. Scan Proactively, Then Close or Block Ports and Fix Vulnerabilities	
11.3. Block and Slow Nmap with Firewalls	
11.4. Detect Nmap Scans	
11.5. Clever Trickery	
11.5.1. Hiding Services on Obscure Ports	
11.5.2. Port Knocking	
11.5.3. Honeypots and Honeynets	
11.5.4. OS Spoofing	
11.5.5. Tar Pits	
11.5.6. Reactive Port Scan Detection	
11.5.7. Escalating Arms Race	
12. Zenmap GUI Users' Guide	
12.1. Introduction	
12.1.1. The Purpose of a Graphical Frontend for Nmap	
12.2. Scanning	
12.2.1. Profiles	
12.2.2. Scan Aggregation	
12.3. Interpreting Scan Results	
12.3.1. Scan Results Tabs	
The Nmap Output tab	
The Ports / Hosts tab	
The Topology tab	
The Host Details tab	
The Scans tab	
12.3.2. Sorting by Host	
12.3.3. Sorting by Flost	
12.3.5. Softing by Service	
12.4.1. The Recent Scans Database	
12.5. Surfing the Network Topology	
12.5.2. Legend	
12.5.2. Legend	
12.3.3. CUIIIUIS	319



Action controls	
Interpolation controls	320
Layout controls	320
View controls	
Fisheye controls	
12.5.4. Keyboard Shortcuts	
12.5.5. The Hosts Viewer	
12.6. The Nmap Command Constructor Wizard	
12.7. The Profile Editor	
12.7.1. Creating a New Profile	
12.7.2. Editing a Profile	
12.7.3. Deriving a New Profile from an Old One	
12.8. Searching Saved Results	
12.9. Comparing Results	
12.9.1. Graphical Comparison	
12.9.2. Text Comparison	
12.10. Files Used by Zenmap	
12.10.1. The nmap Executable	
12.10.2. System Configuration Files	
12.10.2. System Configuration Files	
12.10.4. Output Files	
12.11. Description of zenmap.conf	
12.11.1. Sections of zenmap.com 12.11.1. Sections of zenmap.com	
12.11.1. Sections of Zenniap.com 12.12. Command-line Options	
12.12.1. Synopsis	
12.12.2. Options Summary	
12.12.3. Error Output	
12.13. History	
13. Nmap Output Formats	
13.1. Introduction	
13.2. Command-line Flags	
13.2.1. Controlling Output Type	
13.2.2. Controlling Verbosity of Output	
13.2.3. Enabling Debugging Output	
13.2.4. Handling Error and Warning Messages	
13.2.5. Enabling Packet Tracing	
13.2.6. Resuming Aborted Scans	
13.3. Interactive Output	
13.4. Normal Output (-oN)	
13.5. \$crIpT kIddI3 0uTPut (-oS)	
13.6. XML Output (-oX)	
13.6.1. Using XML Output	
13.7. Manipulating XML Output with Perl	
13.8. Output to a Database	
13.9. Creating HTML Reports	
13.9.1. Saving a Permanent HTML Report	
13.10. Grepable Output (-oG)	
13.10.1. Grepable Output Fields	
Host field	357



Ports field	357
Protocols field	359
Ignored State field	
OS field	
Seq Index field	
IP ID Seq field	
Status field	
13.10.2. Parsing Grepable Output on the Command Line	
14. Understanding and Customizing Nmap Data Files	
14.1. Introduction	
14.2. Well Known Port List: nmap-services	
14.3. Version Scanning DB: nmap-service-probes	
14.4. SunRPC Numbers: nmap-rpc	
14.5. Nmap OS Detection DB: nmap-os-db	
14.6. MAC Address Vendor Prefixes: nmap-mac-prefixes	
14.7. IP Protocol Number List: nmap-protocols	
14.8. Files Related to Scripting	
14.9. Using Customized Data Files	
15. Nmap Reference Guide	
15.1. Description	
15.2. Options Summary	
15.3. Target Specification	
15.4. Host Discovery	
15.5. Port Scanning Basics	
15.6. Port Scanning Techniques	
15.7. Port Specification and Scan Order	
15.8. Service and Version Detection	
15.9. OS Detection	
15.10. Nmap Scripting Engine (NSE)	
15.11. Timing and Performance	
15.12. Firewall/IDS Evasion and Spoofing	
15.13. Output	
15.14. Miscellaneous Options	
15.15. Runtime Interaction	
15.16. Examples	
15.17. Bugs	
15.18. Author	
15.19. Legal Notices	
15.19.1. Nmap Copyright and Licensing	
15.19.2. Creative Commons License for this Nmap Guide	
15.19.2. Creative Commons License for this Ninap Guide	
15.19.4. No Warranty	
15.19.6. Third-Party Software	
15.19.7. United States Export Control Classification	
A. Nmap XML Output DTD	
A.1. Purpose	
A.2. The Full DTD	
Index	423

